


Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010042-4

CONFIDENTIAL

NO FOREIGN DISSEM

25X1C

PHOTOGRAPHIC INTERPRETATION REPORT



VITAL RECORDS - GOP

WEEKLY SUPPLEMENT

AAA SITE SURVEY

LAOS

NPIC/R-447/65
7 JANUARY 1966

CONFIDENTIAL

Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010042-4
NO FOREIGN DISSEM

25X1C

GROUP 1 EXCLUDED FROM
AUTOMATIC DOWNGRADING
AND DECLASSIFICATION

Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010042-4

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010042-4

CONFIDENTIAL

25X1C

WEEKLY SUPPLEMENT AAA SITE SURVEY LAOS

This report supplements the monthly "AAASite Survey, Laos." Based on the latest aerial photographic missions available to the NPIC, it updates the most recent weekly supplement or monthly report, and provides information on newly identified sites, which after initial reporting will be carried only when occupied. Previously reported unoccupied sites will be evaluated on a mission-by-mission basis, and reported immediately when first observed to be occupied.

For reporting purposes, AAA defenses are divided into three basic categories: HMCAA (50 cal. and 12.7mm), light (ZPU-1, ZPU-2, ZPU-4, 37mm), medium (57mm, 85 mm), and heavy (100mm and larger).

The computer tabulation provides the following information, from left to right, in two or more lines entire.

A. FIRST LINE

(1) Installation Number -- A unique installation number containing the standard two letter country designator, a two digit province designator, and a four digit installation designator within the province. The ALPHA E denotes the NPIC report type. A map showing provinces and their designators is included in this report.

(2) Name -- Name of nearest town or village as derived from the AMS map series L509, scale 1:250,000, and abbreviated within the ten space limitation, as appropriate.

(3) Military Zone -- A two letter or Roman Numeral abbreviation of the military district as indicated on the map included in this report.

(4) Coordinates -- Geographic coordinate derived from the AMS map series L509, scale 1:250,000 and/or AMS

map series L7012, scale 1:50,000. In case of multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.

(5) UTM -- UTM coordinate, derived from the AMS series L509, scale 1:250,000 and/or AMS map series L7012, scale 1:50,000, carried to the nearest 100 meters. In case of multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.

(6) Status -- Listed as active or dummy. Only occupied dummy sites will be reported.

B. SECOND LINE

(1) Date -- Date of information (photography) from which the report is derived.

(2) Mission -- Mission Alpha/numeric designator from which the report is derived.

(3) Frame -- Frame number(s) from which the report is derived. The IBM program provides for a maximum of two selected frame numbers. In cases where the installation is imaged on more than two frames, the two best-quality frames are recorded. The alpha designator preceding the frame number denotes the camera position.

(4) Count -- Site, position, and equipment count normally expressed by a single digit in the case of site(s), and no more than two digits in the case of position(s) and equipment.

(5) Site Category -- Site category preceded by degree

25X1A

25X1A

CONFIDENTIAL

25X1C

NO FOREIGN DISSEM

CONFIDENTIAL

25X1C

of confidence.

The third and following lines report the number of positions occupied and/or unoccupied; the size of the weapon (light, medium, or heavy); other equipment by count and type (fire control radar, fire director, etc.); and associated vehicles, as appropriate.

When two or more sites are carried under the same installation number, normally they will be reported in their entirety and one will immediately follow the other.


Several abbreviations appearing in the "Equipment Type" column include: PROB. (Probable), POSS. (Possible), LT. (Light), MED. (Medium), HVY. (Heavy), PSN. (Position),

OCC. (Occupied), UNOCC. (Unoccupied), and HMGAA (Heavy Machine Gun Antiaircraft). Other abbreviations may appear in this column when equipment and/or vehicles are reported and as imposed by report space limitations. In an installation containing more than one site, the "Equipment Type" column will also indicate the number either dismantled or not observed.

Sites are arranged by geographic coordinates in ascending order. Upon request, NPIC can provide additional listings in any of the following sequences: installation number, alphabetic, military district, UTM coordinates, or date of information.

CONFIDENTIAL

NO FOREIGN DISSEM



PROVINCES AND MILITARY ZONES ALIGNMENT.

NPIC J-5110 (10/64)

CONFIDENTIAL Approved F

4560A005000010042-4
25X1C

R-447/65

INSTALLATION NO.	NAME	MZ	COORDINATE	UTM	STATUS	COUNT	EQUIPMENT TYPE
LA090062 E	BANPHANHOP	03	1732N 10544E	WE766402	INACTIVE	2	LT AAA SITE
25X1D						8	LT AAA PSN UNOCC
LA090064 E	BANPHANHOP	03	1733N 10543E	WE753417	INACTIVE	4	LT AAA SITE
25X1D						16	LT AAA PSN UNOCC
LA090008 E	BANPHANHOP	03	1733N 10544E	WE782410	INACTIVE	6	LT AAA SITE
25X1D						24	LT AAA PSN UNOCC
LA090065 E	BANLANGKHA	03	1734N 10544E	WE795428	ACTIVE	1	HMGAA SITE
25X1D						5	HMGAA PSN OCC
						1	HMGAA PSN UNOCC
LA050124 E	XIANGKHOAN	02	1920N 10322E	UG298389	ACTIVE	1	LT AAA SITE
25X1D						2	LT AAA PSN OCC
						2	LT AAA PSN UNOCC
						1	TRUCK
LA040037 E	KANGMUONG	02	2019N 10424E	VH383477	ACTIVE	1	LT AAA SITE
25X1D						5	LT AAA PSN OCC
						1	LT AAA PSN UNOCC

CONFIDENTIAL Approved F

4560A005000010042-4
25X1C 1

Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010042-4

CONFIDENTIAL

NO FOREIGN DISSEM

25X1C

CONFIDENTIAL

Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010042-4

NO FOREIGN DISSEM

25X1C